Web Intages videos maps news Shopping Ginal more .		Sign: III
Google scholar frunning side standby terminate	Search	Advanced Scholar Search Scholar Preferences
Scholar Articles and patents - 2004 include	citations	Results 1 - 20 of about 22

Conflict management program, storage medium for conflict management program storage, conflict management method, and electronic apparatus

N Ode <sup>1</sup> US Patent App. 10/560,026, 2004 - Google Patents
... STARTED APPLICATION CONFLICT CHECK RESULT: **RUNNING SIDE STANDBY** > PUT
CONFLICTING ... **STANDBY** REQUEST APPLICATION S13 CONFLICT **STANDBY** COMPLETION
S... REQUEST APPLICATION STARTUP COMPLETION **TERMINATION** NOTIFICATION S17...

# Run/standby control with switched mode power supply

W Heidebroek, CH Wu - US Patent 5,270,823, 1993 - Google Patents

... mode power supply and a second feedback loop cou-controller in the free running mode, pling ... on a see- the power supply transformer, and the second feedback ondary side of the ... transformer wherein the means for stopping generation of output are coupled to standby loads of ... Cited by 2 - Related articles

# [PDF] Wrapping server-side TCP to mask connection failures

- L Alvisi, TC Bressoud, A El-Khashab, K Marzullo, D ... IEEE INFOCOM, 2001 Citeseer
- ... and the read lengths. The logger acknowledges to the north and south **side** wraps after logging data. 2 Checkpointing the state of the server **running** on the server is outside of the scope of this paper. Hence, in this paper we ...

Otted by 108 - Related articles - View as HTML - Bt. Direct - Ali 36 versions

# Feedback limited duty cycle switched mode power supply

BW Shutts - US Patent 5.453.921, 1995 - Google Patents

... go element 84, is coupled via a series resistor R4157 to a cold **side** primary winding of ... T4101, the secondary winding being coupled to a control input of the **standby** regulator. In the **run** mode, the **run** regulator operates synchronously 65 with horizontal scanning the television ... Cited by 18 - Related articles

[CITATION] Uncontrolled Bradycardia-Tachycardia Syndrome\* Management by Simultaneous Implants of Atrial Radiofrequency Pacemker and Ventricular Standby ... M Yokovama, H Kasanuki, M Endo, S Hosoda - Bulletin, 1974

Related articles

#### Method for controlling multithreading

S Sakamoto, M Iwazaki, A Tsuboi - US Patent App. 09/748.862, 2000 - Google Patents 
... Circuit Thread Management Table Running Request Thread Generation Request 14 15 41 
Generated Thread 16 Thread Th

Information Register Running Threads Register Standby Threads Termination Request Page ... All 2 versions

#### Impedance tapered dematron

EG Chaffee - US Patent 4,376,908, 1983 - Google Patents

... Since the cathode is cold, the "ther detail" of the slow wave structure are shown in **standby** power is zero, and no control electrode is nee-30 f [G' 2" n̂ 1 e "™™", tube.envel "Pe » located ... The ap lied if frequency) rectangular cross section **running** along each **side** of the ...

Related articles - All 3 versions

# Photo voltaic lighting for outdoor telephone booth

CT Richardson Jr - US Patent 4,441,143, 1984 - Google Patents

... is the positive lead or energized side and the white 51 is the ground side and connected ... when the panel negative voltage terminal is more 65 At night time, the standby light intensity ... 15 The lamp drive and control circuitry includes two power inverters: a free running square wave ...

Cited by 28 - Related articles - All 2 versions

# Method and apparatus for switching an electronic system between an operating mode and stand-by mode

DE Staiger - US Patent 6.282,664, 2001 - Google Patents

...1 shows an electronic system capable of switching between an operating mode and a stand-by mode in acce-dence with the preferred ... There must be a guarantee that any application programme, whose running has been interrupted by switching to the standby-mode, can ...

#### System for cyclic operation of self-running objects

K Alnoya, N Koyama - US Patent 4,053,741, 1977 - Google Patents

... 3 is the block diagram showing a wiring for the reservation zone 4 to **stand by** for further transporcontrolling the self-**running** objects; tation. FIG. 4 is a **side** elevational view of one form of the 5 Thus, the cigarette manufacturing process 1 and the self-**running** objects; packing ... Cited by 9 - Fielated articles

# Standby processor with improved data retention

SM Gavin - US Patent 6,622,265, 2003 - Google Patents

... TO RECEIVE DATA TASK WAIT FOR A MESSAGE FROM THE ACTIVE SIDE WITH INTERVAL ... To minimize this time interval, the spare processor is typically initialized and running in a ... solving the problem of data retention during switchover from active to standby processor 45 ... Cited by 2 - Related articles

# Photo voltaic lighting for outdoor telephone booth

J Yachabach - US Patent 4,410,930, 1983 - Google Patents

... the positive lead or energized size and the white 51 is the ground side and connected ... and when the panel negative voltage terminal is more At night time, the standby light intensity ... The lamp drive and control circuitry includes two 10 power inverters; a free running square wave ... Clied by 25 - Related articles

# Multi-compartment and acceptors computerized vending machine

AA Johnson - US Patent 6,000,522, 1999 - Google Patents

... is shut down, the third grievance deliver change if applicable, go to **stand by** mode, however ... 59 bridged bars (14), incorporates a set of parallel micro tracks, **running** horizontal, and in ... and bottom portion of frame door structure, and frame door structures left **side** incorporating the ... Cited by 2 - Related articles

WINN WIND THE PROPERTY WINNESS

# Mitigating server-side congestion in the Internet through pseudoserving

K Kong, D Ghosal - IEEE/ACM Transactions on Networking (TON), 1999 - portal.acm.org ... Section V describes an actual implementation of pseudoserving and discusses the results

or running it on a local area network (LAN). ... Server-side bottlenecks occur when a large number of clients are connected to the server at the same time. ...

Cited by 41 - Related articles - BL Direct - All 18 versions

# [PDF] The HP OpenCall SS7 Platform

D Pierrot, JP Allegre - HEWLETT PACKARD JOURNAL, 1997 - hoLho.com

... The active SS7 stack, running on the active host, uses the two SCSI chains terminating at it... in case of a failure of the active side, the standby side will take over and will take control of all the signaling interface units by using its two SCSI buses...

View as HTML - BL Direct - All 2 versions

#### Passive microwave power distribution systems

Jl. Carter, J McGowan - US Patent 3,953,853, 1976 - Google Patents

... This method was improved by cally substituted for the power tube; running an additional tube into a dummy load as a 20 FIG. ... In standby, the stub and its side of the waveguide/Supporting means, not shown, is latching phase shifter reflect incident power from the 65 an H ... Cated by 8 - Related articles - All 4 yersons

# SIGNALING ARRANGEMENTS FOR BATTERY CHARGING CIRCUIT

SS Jaffe - US Patent 2,999,369, 1961 - Google Patents

... these leads are shorted by the battery turnable to normal position during subsequent **standby** of switch 11.... con-said signaling device and battery across the input of the nection 32 **running** from the ... leads through the lamp until the switch 22- of the activating and one **side** of said.

# Multi-purpose hand truck

W Voegele - US Patent 4,934,718, 1990 - Google Patents

... (1) consisting of two parallel side-members (2 ... table are joined together at the top by an angled handle-bar top is on the one hand pivotably mounted on the sup-arrangement (3), in the centre section by the pivot (4) of port stand by pivots having axes running parallel to ...

Cited by 6 - Felalater articles - All 2 versions

Fluid pressure braking system with limiting valve for anti-compounding and fail-safe standby valve RC Fannin - US Patent 4,003,605, 1977 - Google Patents

... MODE OF OPERATION During normal **running** operation of the vehicle, the push-pull valve ... communicated through discussed hereinabove, the supply port 120,, of the the **standby** valve 146 ... ports 80 and 82 is effective to actuate the 126,, to **terminate** communication between ... Cited by 11 - Felated articles

# Vehicle-installed telephone apparatus

Y Endoh, M Yoshda, K Kawamura, K ... US Patent App. 09/..., 1988 - Google Patents ... is switched to the automatic sound recording mode, the messages from the sending-side are recorded in the memory 8, then the portable phone 2a is on **standby** until receiving ... where the portable phone 2a receives an incoming call while a vehicle is **running**, and then ... Claid by 1 - Related articles - All 2 versions

Create email alert

G000000000008 1 c Next

running side standby terminate Search

Go to Google Home - About Google - About Google Scholar

©2010 Google